

ANSELAN PRECISION MACHINERY CO., LTD.

Address: No. 539 Wanjiali Rd., Yuhua District, Changsha, 410019, China

Mobile: +86 - 18267497809 (WhatsApp ID/WeChat ID)

Skype: edmservicechina

E-mail: anselanedm@163.com

Website: www.anselanedm.com



Seibu - Power feed contact

Code	Original P/No.	Picture	Description	Application
S021	5417819		Power feed contact upper & lower 20x6x10	EW25,B,E,600,400,300A Manual
Se022	4456239 4435332		Power feed contact upper & lower OD=12 x id12/1.5 x 28 mm	EW30-1000 (F.F1.F2.F3.F4.K.K1) EW400.600 with H.S head / APC3A EW300-1000 (E series) with H.S head EW-K.K1 series Manual.AF type
Se023	4469013		Power feed contact upper & lower 7.0 x 20 x 20 mm	EW-A5S.A7S.C5S3 AWF
Se023G	4469013		Power feed contact long life 7.0 x 20 x 20 mm	EW-A5S.A7S.C5S3 AWF
Se024	4463719 4469012		Power feed contact upper & lower 7.0 x 15 x 20 mm	300K2...1000K2 series 30SK.- 450SK series EW-K2 series Manual.AF type
Se024G	4463719		Power feed contact long life 7.0 x 15 x 20 mm	300K2...1000K2 series 30SK.- 450SK series EW-K2 series Manual.AF type

Seibu - Wire guide

Code	Original P/No.	Picture	Description	Size	Application
S111	4440400-7		Guide upper & lower	D=0.21 mm	EW-F.K.K1.K2 Manual.AWF type #4451771
	4440400-8			D=0.26 mm	
	4440400-9			D=0.31 mm	
S113	4433681-4		Guide upper & lower	D=0.21 mm	EW-B.E./EWP-300A2 Manual type
	4433681-5			D=0.26 mm	
	4433681-6			D=0.31 mm	
S114	3438115		LD die upper & lower	D=0.21 mm	EW-A5S.A7S.C5S3.M500S.M700S-series AWF
				D=0.26 mm	
				D=0.31 mm	
S115	4461551		LD die upper & lower 0,4	SW=15 / L=30 mm	EW-A5S.A7S.C5S3 AWF
S116	4465060		LLD sub die upper & lower	id= 0.25 mm	EW-A5S.A7S.C5S3 M series AWF
				id= 0.4 mm	
S116-1	4458910		LLD sub die upper & lower	id= 0.25 mm	EW-A5S.A7S.C5S3.C3C.B3D3. M(upper) AWF
				id= 0.4 mm	

ANSELAN PRECISION MACHINERY CO., LTD.

Address: No. 539 Wanjiaili Rd., Yuhua District, Changsha, 410019, China

Mobile: +86 - 18267497809 (WhatsApp ID/WeChat ID)

Skype: edmservicechina

E-mail: anselanedm@163.com

Website: www.anselanedm.com



Seibu - Water nozzle

Code	Original P/No.	Picture	Description	Application
Se211	5427089		Water nozzle upper & lower id=3.0 mm / id.04mm / id 5.0mm id=6.0 mm -- Standard type	EW-F3 series AWF
Se212	5428160		Water nozzle upper id=3.0mm (AWF) / id=5.0mm (AWF-2B) with tapered-end / SE215	EW-K.K1.K2 series AWF-2B
Se2112			Nozzle stoper for SE212.SE213	
Se213			Water nozzle upper & lower id=3.0 mm / id=5.0 mm	EW-K.K1.K2 Series Manual type
Se215	5428161		Water nozzle lower id=3.0 mm / id=5.0 mm	EW-K.K1.K2 Series Manual / AWF-2B
Se216	5424011		Water nozzle upper & lower id=3.0 mm / id=6.0 mm	EW-B.E.P300
Se217			Water nozzle OD=23 x id3.0 x 14 mm	E.F series
Se218	4465970		Water nozzle upper id=4 mm	EW-A5S.A7S AWF
Se219	4465971		Water nozzle lower id=4 mm	EW-A5S.A7S AWF
Se220	4469440		Water nozzle upper id=3.0 mm / id=4.0 mm SE221=Lower OD=37 x 24.5mm	EW-A5S3.C5S AWF
S220-1			Water nozzle upper id=3.0 mm / id=4.0 mm OD=37 x 23mm	M500S.M700S.M750S.M550S M350S
Se221	4204528		Water nozzle lower id=3.0 mm / id=4.0 mm OD=37.5 x 24.5 mmT with tapered-end SE220=Upper	EW-A5S3.C5S / M500S.M700S.M750S.M550S M350S AWF
S222	4206906		Water nozzle upper	M500S, M750S AWF

ANSELAN PRECISION MACHINERY CO., LTD.

Address: No. 539 Wanjiali Rd., Yuhua District, Changsha, 410019, China

Mobile: +86 - 18267497809 (WhatsApp ID/WeChat ID)

Skype: edmservicechina

E-mail: anselanedm@163.com

Website: www.anselanedm.com



Seibu - Other parts

Code	Original P/No.	Picture	Description	Application
Se301			Ceramic upper insulation board for Z-axis 14mm (Tap center end) L=80 x 140 x 20 mmT Hole dst= 40 mm	A5S.M500S.M350S.M750S series
Se301-1			Ceramic upper insulation board for Z-axis 11mm (Tap center end) L=80 x 140 x 20 mmT Hole dst= 40 mm	A5S.M500S.M350S.M750S series
Se302			Ceramic upper insulation board for Z-axis L=88 x 165 x 25 mmT	M750S.A7S Series
Se303	4208518		Upper insulation board ceramic for Z-axis L=80 x 137 x 20 mm Hole dst=48 mm	M-series 2004
Se304C			Ceramic plate OD=115 x 33.5 mm	M series
S314C	4440143		BH214 Feed roller ceramic OD80 x id40 x 20 mm	EW-K2.A5S.A7S.C5S
S314-1			Feed roller ceramic for fine wire	
Se315	4466186		Brake pulley upper D=160 mm	EW-F3.K.K1.K2.C5S
Se316	5427989		Capstan roller OD35 x id22 x 17.5 mmT AWT	AWF-2B. EW-400K
S317	5427844		Pinch roller OD50 x id10 x 17.5 mmT AWT	AWF-2B. EW-400K
Se600			Electric brush holder upper 61 x 22 x 26 mm	M500S-200401 old series
Se601			Electric brush holder lower 57 x 29 x 30 mm	A5S series
Se602			Electric brush holder upper 63 x 22 x 26 mm (With M4-Tap)	M series - new series
Se603			Electric brush holder upper 65 x 30 x 36 mm	M500S.M750S series
Se801			Dies block upper 70 x 40 x 34 mm	F.K.K1 series
Se801-1			Flushing cover upper & lower for Se801 & Se802 OD33.5 x 19.5 mm	F.K.K1 series
Se801-2			Nozzle spring for Se801 & Se802 OD18 x 25 mm	F.K.K1 series

ANSELAN PRECISION MACHINERY CO., LTD.

Address: No. 539 Wanjiali Rd., Yuhua District, Changsha, 410019, China

Mobile: +86 - 18267497809 (WhatsApp ID/WeChat ID)

Skype: edmservicechina

E-mail: anselanedm@163.com

Website: www.anselanedm.com


Seibu - Other parts

Code	Original P/No.	Picture	Description	Application
Se801-set			Dies block assembly upper 70 x 40 x 34 mm	F.K.K1 series
Se802			Electric brush holder lower only 40 x 54 x 34 mm	F.K.K1 series
Se802-set			Electric brush holder assembly lower	F.K.K1 series
Se803			Ceramic pulley upper OD33 x id13 x 17 mm	F.K series
Se804			Ceramic pulley lower OD33 x id13 x 10 mm	F.K series
Se804 set			Ceramic pulley lower assembly with stainless (SUS) bearing OD33 x id13 x 10 mmT	F.K series
Se805			Capstan roller joint type OD50 x 20 mm	F.K series
Se806			Pinch roller joint type OD50 x 20 mm	F.K series
Se807	4468314		Feed roller with groove & 3.5 mm - 6 holes OD42.8 x id22 x 12 mm	A5S2
Se808			Feed roller with groove & 3.5 mm - 6 holes OD43.8 x id22 x 12 mm	M series
Se809			Guide roller upper OD44 x id11 x 19 mm	A.M series
S310(J)	3443067		Electric brush holder lower 71 x 41 x 24 mm	K2. K3
S311A(J)	4465817		DS091NC1 Nozzle holder stainless steel lower T= 10.5 mm	K2. K3
S311B(J)			DS091NC3 Nozzle holder lower T=13.5 mm (t=3 mm)	K2. K3
S312(J)	3443069		DS091K2D Electric brush holder upper	K2. K3
S313(J)	4465628		DS091DS Die guide plug upper and lower OD25 x id12.5mm	K2. K3
Se319(J)	4465626		Guide holder for lower	K2

ANSELAN PRECISION MACHINERY CO., LTD.

Address: No. 539 Wanjiali Rd., Yuhua District, Changsha, 410019, China

Mobile: +86 - 18267497809 (WhatsApp ID/WeChat ID)

Skype: edmservicechina

E-mail: anselanedm@163.com

Website: www.anselanedm.com


Seibu - Other parts

Code	Original P/No.	Picture	Description	Application
Z401			Flow meter	
SE319-B			Stainless bearing for SE319	F.K Series
CRK2PV1			3-way valve for high pressure pump	
TSE-06			Ball bearing SUS type NMB SSR-1760ZZ	
TSE-061			Ball bearing SUS type 6000HZ OD26 x id10 x 8.0 mm	K2.K3.A5S.A7S
TSE-07			Ball bearing for SS shaft SSR-1560ZZ	
TSE-08S			Ball bearing for SS shaft 608Z-SUS type OD22 x id8.0 x 7.0 mm	
TSE- 091DC1			Nozzle holder stainless steel upper & lower 34 x 34 x 13 mm	K2.K3
TSE- 091NC5			Nozzle holder lower T=15.5mm (t=5.0 mm)	K2.K3
TSE- 205025			Pressure gauge DT50Ø - 25KG - 1/4''	
TSE- 206035			Pressure gauge DT50Ø - 35KG - 1/4''	
TSE-24			Water cover OD160 x id30 mm	F.K.K1 series
TSE-3801			Roller lower for belt OD28.5 x id15 x 20 mm	K series
TSE-3802			Roller ring for belt OD14 x 8.5 mm	K Series
TSE-3803			Roller shaft for belt OD14 x 36 mm	K series
TSE-41			Pinch roller OD50 x id15 x 25 mm	
TSE-43			Wire roller OD80 x id20 x 32 mm	K1.K2.K3

ANSELAN PRECISION MACHINERY CO., LTD.

Address: No. 539 Wanjiaili Rd., Yuhua District, Changsha, 410019, China

Mobile: +86 - 18267497809 (WhatsApp ID/WeChat ID)

Skype: edmservicechina

E-mail: anselanedm@163.com

Website: www.anselanedm.com

**Seibu - Other parts**

Code	Original P/No.	Picture	Description	Application
TSE-8011			Insulation block lower 76 x 30 x 27.5 mm	450K2.450K3.600K2.600K3
TSE-8012			Insulation block lower 76 x 30 x 30.5 mm	450K2.450K3
TSE-8013			Insulation block lower 76 x 30 x 40.5 mm	600K2.600K3
TSE-8021			Insulation block lower 38 x 23 x 16 mm	K2
TSE-8031			Roller housing stainless steel lower 87 x 61 x 21 mm	K2.K3
TSE-8202			Electric brush holder upper	K2
TSE-8802			Gasket silicone OD30 x 2.0 mm	K2.K3
TSE-9401			Gasket silicone OD28 x id13 x 5.0 mm	K2.K3
	4435332		Same as 4456239 (S022)	
	4469012		Same as 4463719 (S024)	
	4440400-7		Same as 4451771 (S111 D=0.21 mm)	
	4440400-8		Same as 4451771 (S111 D=0.31 mm)	
	4440400-9		Same as 4451771 (S111 D=0.26 mm)	

ANSELAN PRECISION MACHINERY CO., LTD.

Address: No. 539 Wanjieli Rd., Yuhua District, Changsha, 410019, China

Mobile: +86 - 18267497809 (WhatsApp ID/WeChat ID)

Skype: edmservicechina

E-mail: anselanedm@163.com

Website: www.anselanedm.com

**Seibu - Belts**

Code	Original P/No.	Picture	Description	Application
			Conveyer belt 15 x 1750 mm	EW300.450
			Conveyer belt 15 x 1860 mm	EW300.450
			Conveyer belt 15 x 1900 mm	EW400.600F
			Conveyer belt 15 x 2050 mm	EW400.600F
			Conveyer belt 15 x 2570 mm	EW700K
			Conveyer belt 15 x 2760 mm	EW700K
			Conveyer belt 15 x 2060 mm	EW600.1000K
			Conveyer belt 15 x 2070 mm	EW600.1000K
			Conveyer belt 15 x 1970 mm	EW400.F3.C2
			Conveyer belt 15 x 1700 mm	EW400.F3.C2
			Conveyer belt 18 x 1750 mm	K1
			Conveyer belt 18 x 1860 mm	K1
			Conveyer belt 18 x 2570 mm	K1
			Conveyer belt 18 x 2760 mm	K1
			Conveyer belt 18 x 2060 mm	K1
			Conveyer belt 18 x 2170 mm	K1